

Tableau de correction avec filtre ND

Temps en s sans réduction	ND8	ND64	ND512	ND1000	ND8000	ND64000
1/4000	1/500s	1/60s	1/8s	1/4s	2s	16s *
1/3200	1/400s	1/50s	1/6s	0,3s	2,5s	20s
1/2500	1/320s	1/40s	1/5s	0,4s	3,2s	26s *
1/2000	1/250s	1/30s	1/4s	0,5s	4s	32s
1/1600	1/200s	1/25s	0,3s	0,6s	5s	40s
1/1250	1/160s	1/20s	0,4s	0,8s	6s	51s
1/1000	1/125s	1/16s	0,5s	1s	8s	1m4s
1/800	1/100s	1/13s	0,6s	1,3s	10s	1m20s
1/640	1/80s	1/10s	0,8s	1,5s	13s	1m40s
1/500	1/60s	1/8s	1s	2s	15s	2m8s
1/400	1/50s	1/6s	1,3s	2,5s	20s	2m40s
1/320	1/40s	1/5s	1,6s	3s	25s	3m20s
1/250	1/30s	1/4s	2s	4s	32s	4m16s
1/200	1/25s	0,3s	2,5s	5s	40s	5m20s
1/160	1/20s	0,4s	3,2s	6s	50s	6m40s
1/125	1/16s	0,5s	4s	8s	1m4s	8m32s
1/100	1/13s	0,6s	5s	10s	1m20s	10m40s
1/80	1/10s	0,8s	6s	13s	1m40s	
1/60	1/8s	1s	8s	16s *	2m13s	
1/50	1/6s	1,3s	10s	20s	2m40s	
1/40	1/5s	1,6s	13s	25s	3m20s	
1/30	1/4s	2s	17s *	33s	4m26s	
1/25	0,3s	2,5s	20s	40s	5m20s	
1/20	0,4s	3,2s	25s	50s	6m40s	
1/15	0,5s	4s	34s	1m6s	8m53s	
1/13	0,4s	5s	40s	1m16s	10m15s	
1/10	0,8s	6s	51s	1m40s		
1/8	1s	8s	1m4s	2m5s		
1/6	1,3s	10s	1m25s	2m46s		
1/5	1,6s	13s	1m42s	3m20s		
1/4	2s	15s	2m8s	4m10s		
0,3	2,5s	20s	2m33s	5m		
0,4	3,2s	25s	3m24s	6m40s		
0,5	4s	32s	4m16s	8m20s		
0,6	5s	38s	5m7s	10m		
0,8	6s	51s	6m49s			
1	8s	64s	8m32s			
1,3	10s	1m33s	11m5s			
1,6	13s	1m42s				
2	15s	2m8s				
2,5	20s	2m40s				
3,2	25s	3m25s				
4	32s	4m16s				
5	40s	5m20s				

6	48s	6m24s				
8	1m4s	8m32s				
10	1m20s	10m40s				
13	1m44s					
15	2m					
20	2m40s					
25	3m20s					
30	4m					

